Loblolly Pine (*Pinus taeda*) and Drought: A Selected Bibliography

by Dr. Kim D. Coder, Daniel B. Warnell School of Forest Resources, University of Georgia 5/99

Loblolly pine (<u>Pinus taeda</u>) is critical to timber markets and to landscapes. Seasonal water shortages impact loblolly in a variety of ways. As part of tree health care and drought management, the following publications are listed to facilitate information exchange. This is not an inclusive / exhaustive list of publications, but provides a broad range of papers dealing with drought issues as they apply to loblolly pine. The literature citations in each of these papers will provide a central core of research and outreach topics available in the scientific literature.

- Abdollahi, K.K. Bilan, M.V. Ning, Z.H. 1992. Physiological responses of loblolly pines from different geographic origins to cyclic drought. Proceedings of the Society of American Foresters National Convention. Pp. 532-533.
- Amidon, T.E. Barnett, J.P. Gallagher, H.P. McGilvray, J.M. 1982. A field test of containerized seedlings under drought conditions. USDA-Forest Service General Technical Report SO -37. Pp. 139-144.
- Baldocchi, D. 1997. Measuring and modelling carbon-dioxide and water vapour exchange over a temperate broad-leaved forest during the 1995 summer drought. Plant, Cell and Environment. 20:1108-1122.
- Bilan, M.V. Leach, J.H. Jr. Davies, G. 1978. Root development in loblolly pine (<u>Pinus taeda</u> L.) from two Texas seed sources. Symposium on Root Form of Planted Trees. British Columbia Ministry of Forests and Canadian Forestry Service (joint report). #8:17-22..
- Chen, Ying, Shen, HuiJuan, Chen, Y, Shen, HJ. 1997. A comparison of drought resistance among three afforestation tree species seedlings in the south. Journal of Jiangsu Forestry Science and Technology. 24:11-14.
- Coder, KD. 1999. Drought damage to trees. University of Georgia School of Forest Resources Extension Publication FOR99-010. Pp.5.
- Coder, KD. 1999. Water movement in trees. University of Georgia School of Forest Resources Extension Publication FOR99-007. Pp.4.
- Davies, F.T. Jr. Svenson, S.E. Cole, J.C. Phavaphutanon, L. Duray, S.A. Olalde-Portugal, V. Meier, C.E. Bo, S.H. 1996. Non-nutritional stress acclimation of mycorrhizal woody plants exposed to drought. Tree Physiology. 16 (11/12):985-993.
- de Steven, D. 1991. Experiments on mechanisms of tree establishment in old, field succession: seedling emergence. Ecology. 72:1066-1075.



- de Steven, D. 1991. Experiments on mechanisms of tree establishment in old, field succession: seedling survival and growth. Ecology. 72:1076-1088.
- Dougherty, PM, Hennessey, TC, Zarnoch, SJ, Stenberg, PT, Holeman, RT, Wittwer, RF. 1995. Effects of stand development and weather on monthly leaf biomass dynamics of a loblolly pine (<u>Pinus taeda</u>) stand. Forest Ecology and Management. 72: 213-227.
- Dunn, JP, Lorio, PL Jr. 1993. Modified water regimes affect photosynthesis, xylem water potential, cambial growth, and resistance of juvenile Pinus taeda to Dendroctonus frontalis (Coleoptera: Scolytidae). Environmental Entomology. 22:948-957.
- Green, T.H. Mitchell, R.J. Gjerstad, D.H. 1994. Effects of nitrogen on the response of loblolly pine to drought. II. Biomass allocation and C:N balance. The New Phytologist. 128(1):145-152.
- Green, T.H. Mitchell, R.J. 1992. Effects of nitrogen on the response of loblolly pine to water stress. I. Photosynthesis and stomatal conductance. The New Phytologist. 122 (4):627-633.
- Groninger, JW, Seiler, JR, Zedaker, SM, Berrang, PC. 1995. Effects of elevated CO2, water stress, and nitrogen level on competitive interactions of simulated loblolly pine and sweetgum stands. Canadian Journal of Forest Research. 25:1077-1083.
- Hallgren, S.W. Tauer, C.G. Lock, J.E. 1991. Fine root carbohydrate dynamics of loblolly pine seedlings grown under contrasting levels of soil moisture. Forest Science. 37(3):766-780.
- Hennessey, TC, Dougherty, PM, Cregg, BM, Wittwer, RF. 1992. Annual variation in needle fall of a loblolly pine stand in relation to climate and stand density. Forest Ecology and Management. 51:329-338.
- Jacobi, J.C. Tainter, F.H. Oak, S.W.. 1988. The effect of drought on growth decline of loblolly pine on littleleaf sites. Plant Disease. 72 (4):294-297.
- Jordan, D.N. Lockaby, B.G. 1990. Time series modeling of relationships between climate and long-term radial growth of loblolly pine. Canadian Journal of Forest Research. 20(6):738-742.
- Ludovici, K.H. Morris, L.A. 1997. Competition-induced reductions in soil water availability reduced pine root extension rates. Soil Science Society of America Journal. 61(4):1196-1202.
- Meier, CE, Newton, RJ, Puryear, JD, Sen, S. 1992. Physiological responses of loblolly pine (<u>Pinus taeda</u>) seedlings to drought stress: osmotic adjustment and tissue elasticity. Journal of Plant Physiology. 140:754-760.
- Newton, R.J. Puryear, J.D. Sen, S. 1987. Cellular drought tolerance studies in loblolly pine., Proceedings of the Southern Forest Tree Improvement Conference. #41:71-78.
- Newton, R.J. Sen, S. Puryear, J.D. 1986. Free proline changes in <u>Pinus taeda</u> callus in response to drought stress. Tree Physiology. 1(3):325-332.
- Padmanabhan, V, Dias, DMAL, Newton, RJ. 1997. Expression analysis of a gene family in loblolly pine (<u>Pinus taeda</u>) induced by water deficit stress. Plant Molecular Biology. 35:801-807.
- Perry, M.A. Mitchell, R.J. Zutter, B.R. Glover, G.R. Gjerstad, D.H. 1994. Seasonal variation in competitive effect on water stress and pine responses. Canadian Journal of Forest Research. 24(7):1440-1449.
- Seiler, J.R. Johnson, J.D. 1985. Photosynthesis and transpiration of loblolly pine seedlings as influenced by moisture-stress conditioning. Forest Science. 31(3):742-749.

- Stone, DM. Curly needle syndrome of loblolly pine seedlings. 1993. Canadian Journal of Forest Research. 23:1810-1814.
- Svenson, S.E. Davies, F.T. Jr. 1993. Ectomycorrhizae influence drought acclimation and growth of loblolly pine seedlings from a mesic provenance. Proceedings of the Florida State Horticultural Society. 105:194-197.
- Svenson, S.E. Davies, F.T. Jr. Meier, C.E.. 1991. Ectomycorrhizae and drought acclimation influence water relations and growth of loblolly pine. HortScience. 26(11)1406-1409.
- Tschaplinski, TJ, Norby, RJ, Wullschleger, SD. 1993. Responses of loblolly pine seedlings to elevated CO2 and fluctuating water supply. Tree Physiology. 1993, 13:283-296.
- Tuttle, C.L. South, D.B. Golden, M.S. Meldahl, R.S. 1987. Relationship between initial seedling height and survival and growth of loblolly pine seedlings planted during a droughty year. Southern Journal of Applied Forestry. 11(3):139-143.
- Walker, RF, McLaughlin, SB. 1993. Growth and xylem water potential of white oak and loblolly pine seedlings as affected by simulated acidic rain. American Midland Naturalist. 129:26-34.
- Walker, RF, McLaughlin, SB. 1997. Effects of acidic precipitation and ectomycorrhizal inoculation on growth, mineral nutrition, and xylem water potential of juvenile loblolly pine and white oak. Journal of Sustainable Forestry. 5:27-49.
- Zahner, R. Myers, R.K. 1986. Assessing the impact of drought on forest health. Proceedings of the Society of American Foresters National Convention. Pp. 227-234.
- Zahner, R. Saucier, J.R. 1989. Twenty-five years of climate-related growth trends for natural stands of loblolly pine in central Georgia. USDA Forest Service General Technical Report SO-74. Pp. 25-32.
- Zwolinski, J, South, DB, Barber, BL, Edwards, MB. 1995. Drought and survival of loblolly pine seedlings after planting. Proceedings of the Eighth Biennial Southern Silvicultural Research Conference. (Auburn, Alabama, 1-3 Nov. 1994.) USDA-Forest Service General Technical Report. #SRS. Pp.419-423.
- Zwolinski, JB. 1996. Palmer drought indices and their application to plantation establishment strategies. Southern African Forestry Journal. #178:9-13.